# **Era Touch**

### The home total control at one touch:

integrated automation and alarm system management.







## New touchscreen to control Nice

automations and manage the NiceHome alarm system



#### The wireless Nice Era touchscreen

can manage all home automations, thanks to remote control of:

- a maximum of 99 single controls,
- up to 10 groups of controls,

to manage a number of automations of the same type simultaneously;

#### • up to 10 single scenarios,

to manage different automations, including those associated with the alarm system.

#### By using Nice TT2L or TT2D miniaturised control units and/or universal receivers (es. SMX2R etc.) you can manage light, irrigation and heating (convector heaters, etc.).

Automations, groups and scenarios can be controlled in time bands thanks to the built-in weekly and hourly programmer. Simple programming, configuration and control of the alarm system, with **intuitive graphic display**, **built-in vocal guide and bidirectional technology**.

#### Built-in proximity transponder

**badge reader:** each individual key can be personalised for the single user and individual zones.

Thanks to the bidirectional wireless communication with the alarm system, the touchscreen displays alarm system status, indicating the status of each individual zone by means of simple icons.

#### Systems main functions:

• Management of Nice automations with **FLOR** encoding: it can control up to 99 single automations divided into sun screens, gates, garages and lighting. • Simultaneous management of the controls for blinds, shutters and sun screens automated with Nice tubular motors.

• Control of single automations, groups of automations and the execution of scenarios, with the possibility of attributing a name to each automation.

• Management of timed controls through the built-in weekly and hourly programmer.

• Four programmable buttons to control automations and/or groups and/or scenarios.

• Scenarios combined with event notifications enable the garden lights to be turned on and/or the shutters to be closed in the event of an alarm in the garden.

• Easy to update thanks to the mini-USB connector.

Code	Description	Pack/pallet
HSTS2EN	Wireless Touch Screen	1
HSB1	Transponder badges	10
HSTSA1	Charger base for touch screen, with rechargeable batteries included	1

#### Accessories for total home management:

Code	Description	Pack/pallet	
TT2N	Control unit for 230 Vac motor with built-in radio receiver	1	
TT2L	Control unit for management of 230 Vac lighting systems, with built-in radio receiver	1	
TT2D	Control unit for management of 230 Vac lighting systems, with built-in radio receiver and switching module	1	
FLOX1R	Universal receivers, 1 channel with BM250 memory	1	
FLOX2R	Universal receivers, 2 channels with BM250 memory	1	
SMX2R	Universal receivers, 2 channels with 256-codes memory, pre-wired	1	



#### **Technical specifications**

Radio transmission		
Frequency	433,92 MHz - 434,32 MHz	
Тіро	Digital bidirectional with HSCU2 alarm system	
Range	100 m in open space without interference, 20 m inside buildings	
Functions		
Display	3.75" graphic 240x128 pixel, monochrome backlit	
ON button	YES	
Configurable groupsi	10 configurable groups of similar automations (same commands)	
Scenarios	10 configurable scenarios with commands controlling automations and alarm activation-deactivation	
Activation timer	10 configurable	
LED	Blue - radio communication / Red - battery flat / Orange - charging / Green - fully charged	
Function buttons	4 configurable	
Transponder key reader	YES	
Microphone	YES	
Loudspeaker	0,5 W	
Voice recorder	5 messages for a total of 120 s	
SW updating	YES by micro-USB input	
Movement sensor	YES	
Events log	100	
Power supply		
Power supply	2 x 1.5 V AA alkaline batteries supplied	
Autonomy	On average more than a year depending on use	
Supplementary power supply	By HSTSA1 charging base and AA rechargeable batteries connected to the micro-USB port	
System		
Working temperature (environmental class I)	+5° C ÷ + 40° C (EN50131 environmental class I)	
Dimensions	154x83x20 mm	

Dimensions Weight

250 g



Nice SpA Oderzo TV Italia info@niceforyou.com

www.niceforyou.com

The information shown in this publication is purely indicative. Nice reserves the right to make any modifications to the products as it sees fit.