

NICE ROX KIT

THE ROBUST AND PRACTICAL SOLUTION
FOR THE AUTOMATION OF SLIDING GATES.



ROX600KCE

230V

For sliding gates weighing up to 600 kg.

Practical and safe: built-in control unit, incorporated radio card.

Sturdy: base and release in pressure die cast with easy to open handle.

Very quiet: gear motor on bearings.



THE ROX600KCE KIT CONTAINS



ROX600
1 IRREVERSIBLE MOTOR, WITH ELECTROMECHANICAL LIMIT SWITCH, FOR GATES UP TO 600 kg



EPM
1 COUPLE OF EXTERNAL PHOTOCELLS



EKS
1 KEY SELECTOR SWITCH FOR OUTDOOR



EL
1 FLASHING LIGHT WITH INTEGRATED AERIAL.



FL02RE
1 TRANSMITTER 433.92 MHZ, 2 CHANNELS.



TS
1 SIGNBOARD


CODE	DESCRIPTION	PACK/PALLET
ROX600KCE	KIT FOR THE AUTOMATION OF SLIDING GATES UP TO 600 kg, WITH INCORPORATED CONTROL UNIT AND BUILT-IN RADIO RECEIVER	14

N.B. The content of the package may vary: consult the retailer.


TECHNICAL SPECIFICATIONS

CODE	ROX600
ELECTRICAL DATA	
POWER SUPPLY (Vac 50 / 60 Hz)	230
ABSORPTION (A)	1.4
POWER (W)	300
PERFORMANCE DATA	
SPEED (m/s)	0.18
FORCE (N)	600
WORK CYCLE (CYCLES / HOUR)	20
DIMENSIONAL AND GENERAL DATA	
PROTECTION LEVEL (IP)	44
WORKING TEMP. (°C MIN/MAX)	-20 ÷ +50
DIMENSIONS (mm)	330x210x303
WEIGHT (kg)	11

DIMENSIONS



INSTALLATION DIAGRAM



1. MOTOR
2. TRANSMITTER
3. PHOTOCELLS MOUNTED ON POSTS
4. PHOTOCELLS
5. FLASHING LIGHT
6. DIGITAL OR KEY SWITCHES
7. SENSITIVE EDGES SENSOR



ROA38
SPARE CONTROL UNIT
FOR ROX600.

PC/PACK 1



ROA6
M4 25X20X1000 mm
SLOTTED NYLON RACK WITH
METAL INSERT FOR GATES
WEIGHING UP TO 500 kg.

PC/PACK 10



ROA7
M4 RACK, ZINC COATED,
22X22X1000 mm.

PC/PACK 10



ROA8
M4 RACK 30x8x1000 mm
ZINC COATED WITH SPACERS
AND SCREWS.


PC/PACK 10

NICE&SAFE

IT'S REALLY EASY TO MAKE YOUR AUTOMATION SAFE WITH THE RESISTIVE SENSITIVE EDGES

Safer: the sensitive edges, if active, will detect any kind of obstacle and immediately communicate it to the control unit, in order to stop or reverse the gate movement.

The TCE interface board enables users to connect sensitive edges (with 8.2 KOhm resistance) to those control units which are not equipped with a special input.



1. TCB65, RESISTIVE SENSITIVE EDGES
2. TX FT210 POWER SUPPLY WITH BATTERY
3. RX FT210
4. FLASHING LIGHT



TCB65
SENSITIVE EDGE
IN 10 m ROLLS.

PC/PACK 1



TCE
CONTROL INTERFACE
FOR SENSITIVE EDGE.


PC/PACK 1



FT210
PAIR OF OPTICAL DEVICES FOR SENSITIVE EDGES FASTENED
ON MOVING DOOR, CAN BE SWIVELLED THROUGH 210° WITH
RELAY OUTPUT. BATTERY KIT (FTA1/FTA2) COMPULSORY.

PC/PACK 1

TECHNOLOGY AS SIMPLE AS A GESTURE



NICE, EASY SOLUTIONS FOR HOME AND BUILDING.

SYSTEMS FOR THE AUTOMATION AND CONTROL OF GATES, GARAGE DOORS, BLINDS, SHUTTERS AND ALARM SYSTEMS, WITH INTEGRATED MANAGEMENT USING SMART AND INTUITIVE INTERFACES: PRACTICAL, FUNCTIONAL AND ELEGANT SOLUTIONS TO HELP YOU ENJOY YOUR LIVING SPACES TO THE FULL.

Nice

Nice SpA
Oderzo TV Italia
Ph. +39.0422.85.38.38
info@niceforyou.com

Find out more about Nice
products and services on the website:
www.niceforyou.com



Nice cares for the environment.
Using natural paper it avoids excessive use
of raw materials and forest exploitation.
Waste is reduced, energy is saved
and climate quality is improved.

Our products and technologies are protected
with patents and design/ trademark
registrations. Any violation of our rights
will be legally prosecuted.